

INDEX			
PART	PAGE	PART	PAGE
Aeroscreen	8	Horn Bulbs	10
Badge Bar	21	Indicators	18
Badges	26	Interior Door Handles	5
Bonnet Catches	2	Interior Mirrors	14
Bonnet Handles	3	Junction Boxes	22
Brass Drain Plugs	27	Keyhole Escutcheon	8
Budget Locks	7	Lamp Badges	19
Bulb Holders & Spares	19	Leather Goggles	8
Bumper Bolts	15	Leather Helmet	8
Clevis & Yoke	24	Motometers	16
Control Ball Joint	24	Number Plate Light	24
Dash Lamps	25	Over Centre Catches	4
Door Hinges	20	Pin Beading	23
Door Locks	7	Pipe Fittings	24
Door Silencers	20	Side Lamps	18
Door Wedges	20	Sidescreen Fittings	6
Dzus Fasteners	8	Spark Plug Accessories	16
Exterior Door Handles	5	Spring Gaiters	27
Exterior Mirrors	14	Staples	27
Filler Caps & Adaptors	23	Striker Plates	9
Flush Floor Lift Rings	6	Switches	25
Fuel Taps	21	Tail Lights	17
Fuse Boxes	22	Tenax Fasteners	9
Grease Nipples	22	Trim Rings	11
Hartford Shock Absorbers	10	Ventilator	7
Hartford Shock Absorbers Acc	11	Vernier Coupling	21
Hartford Shock Absorbers Acc	12	Vintage Rims	28
Hartford Shock Absorbers Discs	13	Wing Bolts	15
Hood Fastener	6	Wiper Motors & Accessories	26
Hood Stay Seat Brackets	6	Wefco Order Form	29
		· 	

BONNET CATCHES

















PB138 Pull bonnet catch from Wilmot-Breedon pattern. OE for Morris 8 & Morgan. 120mm **PB148** Small good quality bonnet catch, complete with catch plate & chrome plated. 110mm **PB149** Large top quality bonnet catch, complete with catch plate & chrome plated. 5 3/8"

PB403 'Ripaults' screw down bonnet catch, new manufacture, 4 mounting holes aprx 28mm and 24mm apart vertically on 52mm round base, chromium top, approx 85mm tall. choice of patterns, specify your requirements:-4 lobbed 'Ripaults' knob, as fitted to mid '30's vehicles, or 5 lobbed plain top as fitted to SS100 and Jaguar SS saloons

PB404 chrome finish long tail lever pattern bonnet catch. sold in opposite pair sets only. push top down against spring to engage hook, turn through 90 degree to release. lever top 80mm long, angled two stud base approx 37mm x 37mm. height fitted 87mm

PB407 chrome finish on brass, tee shape twist handle fastener. push top down against spring to engage hook, turn through 90 degree to release. lever top 52mm long, angled base approx 45mm diameter with four fixing holes. height fitted 95mm

PB426 Small spring loaded pull catch with loop finger pull ring, painted finish, complete with pocket, approx 125mm


PB468 Open spring bonnet catch, stainless steel finish 125mm long, a cheap spring catch to hold a bonnet down, with top catch

PB950 basic pull catch with pocket. 110mm overall height, painted finish

BONNET CATCHES con't

PBA-16750 Bonnet/hood catch supplied with pocket. polished stainless steel parts, 91mm tall overall, base 55mm wide. choice of 2 hole mount (13mm deep) or 3 hole mount (30mm deep)





BONNET HANDLES















PB273 4 screw fixing, slim handle approx 4.6" / 118mm long chrome on brass

PB275 4 screw fixing, approx 4.6" / 118mm long, chrome on brass

PB276 6 screw fixing, approx 5.4"/ 144mm long, chrome on brass

PB277 2 screw fixing, approx 4.6"/ 118mm long, chrome on brass

PB336 Three legged bonnet handle, particularly suited to larger, heavier bonnets, chromium finish on brass. 5 1/2" x 2 1/4" (140mm x 57mm)

PB407 Chrome finish on brass, tee shape twist handle fastener. push top down against spring to engage hook, turn through 90 degree to release. lever top 52mm long, angled base approx 45mm diameter with four fixing holes. height fitted 95mm

PB448 2 screw fixing, chrome on brass approx 5"/ 125mm long as style fitted to Austin 7 door pull

3

OVER CENTRE CATCHES






















PB301 small over-centre catch, base 65mm x 32mm, overall 80mm, chrome on brass **BPB301A** small over-centre catch, base 70mm x 32mm, overall 80mm, shaped top, chrome on brass

PB301B small over-centre catch suitable for right angle fitting (eg toolbox lid), base drop 60mm from angle x 32mm wide, chrome on brass

PB303 medium over centre catch, base 77mm x 26mm, 105mm overall, chrome on brass

PB304 large throw over type safety catch, base size approx 65mm x 52mm (supplied handed), chrome on brass

PB870 small safety throw over type catch, base size approx 67mm x 22mm (supplied handed) chrome on brass

PB871 small throw over type safety catch, base size approx 45mm x 28mm (supplied handed) chrome on brass

PB962 large over centre catch, headlock. chrome plate. base approx 65mm x 45mm, overall length 115mm

PB965 over centre catch (lockable), chrome on brass. can be locked with small padlock (not supplied). base 72mm x 30mm, overall 93mm

PB966 angled over centre catch (lockable), chrome on brass. can be locked with small padlock (not supplied). base 70mm x 30mm, overall 90mm

4

INTERIOR DOOR HANDLES











PB324 interior door handle, well proportioned slim handle, 122mm long, chrome on brass, fits 5/16"/8mm square shaft.

PB325 interior door handle, large truncheon shape handle approx 120mm long, chrome on brass, suits 5/16"/8mm square shaft.

PB326 interior door handle, medium lever handle approx 105mm long, chrome on brass, suits 5/16"/8mm square shaft.

PB327 interior door handle, small truncheon handle approx 90mm long, chrome on brass, suits $5/16 \mbox{''}/8 \mbox{mm}$ square shaft.

PB328 interior door handle, small spoon type handle approx 83mm long, chrome on brass, suits 5/16"/8mm square shaft.

EXTERIOR DOOR HANDLES









PB533 chromium plated early pattern door handle, 98mm long, escutcheon fixing holes at 36mm centres

PB598 loop carriage handle. approx 75mm wide, supplied with undrilled escutcheon, polished brass only

PB599 fine vintage style handle. approx 95mm long, supplied with undrilled escutcheon, polished brass only

PB600 torpedo handle. approx 90mm long, supplied with undrilled escutcheon, polished brass only

5

FLUSH FLOOR LIFTING RINGS







PB278 Rectangular, size 2" x 1 1/2" (approx 50mm x 38mm) without lock, chrome on brass

PB279 Round, diameter 2", chrome on brass

PB377 Rectangular, size 51mm x 38mm with lock, chrome or self colour brass

HOOD FASTENER HOOD STAY SEAT BRACKETS





PB280 fitted to top hood rail, to locate on to 16mm diameter peg on windscreen frame. chrome on brass. base 63mm x 13mm

PB208 set of two castings (male and female) approx 43mm long x 17mm wide, self colour brass. for aligning and positioning hood stays when frame is lowered

SIDESCREEN FITTINGS





PB102 8mm diameter peg, base 46mm x 14mm, chrome on brass PB103 socket for 8mm diameter peg. 36mm long, head 14mm dia, 11mm hole required in bodywork. chrome on brass

BUDGET LOCKS & DOOR LOCKS














PB129 budget lock keep, steel

PB190 budget lock, steel with brass tongue approx 79mm x 22mm

PB191 T key for budget lock, approx 125mm long, self colour steel

PB462 surface fitting door lock, 80mm x 60mm x 15mm deep, plated finish

PB540 small chromium plated surface mount door lock with lever to top, of a design common to many 'vintage' locks. base size 86mm x 51mm approx



PB601 'Silent-travel' lock, chrome finish 63mm wide 68mm tall body, chrome cover, facility for shaft of exterior handle to fit into back

PB798 "bridge type" budget lock, plated finish. overall height 19mm, 22mm wide x 89mm long, handed left or right

VENTILATOR



PB184 small rectangular louver ventilator overall for scuttle mounting. overall size 6" x 3" (152mm x 76mm) with gauze as standard, opens to one side against spring. chromium plate on brass

AEROSCREEN



PB460 'Brooklands' type. overall width approx 400mm height approx 190mm, fitted with curved top laminated glass as standard, polished aluminium frame, chrome fittings etc. has unchanged for many years.

BUDGET LOCK KEYHOLE ESCUTCHEONS





PB192 keyhole escutcheon - flap is hinged at the top and opens up against a spring. 2 hole (21mm centres)
PB193 Keyhole escutcheon - flap is hinged at the top and opens by sliding sideways against a spring. 2 screw fixing showing on outside of the cover -chromium finish

DZUS FASTNERS



PB832 Dzus type 40 fastener for panel fixing with easy removal. 16mm diam slotted countersunk head on panel fixing plate 38mm x 22mm, cadmium plated. 1/4 turn to lock on to wire spring (supplied). panel mounting holes 27mm. choice of 13mm or 16mm

ACCESSORIES



PB753 a really good quality soft leather helmet, enabling open air motoring in style and comfort. made from best quality hide, with a cloth lining.

PB754 leather motoring goggles of traditional style, brown only, specially designed to ensure a snug and comfortable fit. adjustable nose-bridge, padded surround, angled high impact resisting lenses



(03) 9458 4433

STRIKER PLATES













PB541 cast malleable iron 38mm x 32mm, lock striker click/click
PB542 cast brass 22mm x 54mm striker, click only

PB602D Replacement dovetail wedge and nut only (no mount plate)

PB602F face mounting plate and wedge complete

PB602N narrow mounting plate and wedge complete

PB602W wide mounting plate complete with wedge

"TENAX" SNAP FASTNERS











PB137 nickel plate on brass stud with 2BA machine thread without shoulder (PER 10)







PB137A nickel plate on brass stud with 2BA machine thread with shoulder (PER 10)

PB137B nickel plate on brass stud with long 2BA machine thread without shoulder (PER 10)

PB145 nickel plate on brass stud with wood screw thread, without shoulder (PER 10) **PB 145A** nickel plate on brass stud with wood screw thread, with shoulder (PER 10) **PB146** nickel plate on brass stud with wood screw thread, with shoulder (PER 10)

PB146 nickel plated on brass socket with nut, fixes through material. pull centre knob to release claw type catch (PER 10)


PB147 for tightening back nut of Tenax socket, nickel plated

PB ten3/10 screw top and stud for mounting on to cloth. nickel plated

ANDRE HARTFORD SHOCK ABSORBERS







PB502S suitable for smaller vehicles, up to approx 1000kg weight. enamel finish, ready to fit. one blade into two blades at friction end 3.1/2" (89mm) diameter

PB506M suitable for the large vehicle up to 2000kg weight. enamel finish, ready to fit. two blades into three blades at friction end 4.1/2" (104mm) diameter **PB506S** suitable for the medium size vehicle of approx 1500kg weight. enamel finish, ready to fit. one blade into two blades at friction end 4.1/2" (104mm) diameter







PB645 mounting bolt for Andre Hartford shock absorber, 1/2" BSF threads both ends, 9/16" shaft for bush, hexagon 1/8" (3mm) long





PB646 mounting bolt for Andre Hartford shock absorber, 1/2" BSF threads both ends, 9/16" shaft for bush, hexagon 11/16" (17mm) long

PB967 mounting bolt for Andre Hartford shock absorber, 1/2" BSF threads both ends, 9/16" shaft for bush, hexagon 15/16" (24mm) long

HORN BULBS



Large Horn Bulb. Ribbed black rubber, 4 1/2" diam, brass ferrule with 5/8" hole

Small Horn Bulb. Black rubber horn bulb, 27/8" diam, brass ferrule 5/8" hole




ANDRE HARTFORD SHOCK ABSORBERS con't



PB647



PB699



PB12654




PB12656



PB1164/1105



PB12657



PB12659



PB12658/12673



PB854/857

PB647 special tapered castle nut for Andre Hartford mounting on to chassis bolt. chamfered base, deep slots for cross pinning, thread 1/2" BSF

PB699 early style pointer arrow **PB854/857** early style small rounded end pressure spring, approx. 75mm & 90mm

PB1105 silentbloc rubber/steel bush 15/16" outside x 7/16" inside x 1.1/8" long

PB1164 silentbloc rubber/steel bush 1.1/8" outside x 9/16" inside x 1.9/16" long

PB12654 centre washer, pressure fit or riveted to backplate **PB12656** nylon, to replace wood/steel item 1/2" or 9/16" clearance bore

PB12657 lock tag/pointer **PB12658** pressure spring, 70mm dia. used on model 502. 1/2" centre hole

PB12659 locking tag for bolt head

PB12673 pressure spring, 90mm dia. used on model 506. 1/2" centre hole


TRIM RINGS




- Chrome beauty rims available in ribbed & plain in 14", 15" and 16" $\,$
- 15" also available in convex (smooth) style
- 17" available in ribbed in chrome over brass

ANDRE HARTFORD SHOCK ABSORBERS con't







PB860 centre bolt 9/16" diameter with nut, 2" (51mm) long for S type models

PB861 centre bolt 9/16" diameter with nut, 2 7/8" (74mm) long for M type models PB862 centre bolt 9/16" diameter with nut, 2 7/8" (74mm) long with collar and flat under head PB12688A centre bolt 1/2" diameter with nut, 3" (70mm) long. used on type M units PB12688B centre bolt 1/2" diameter with nut, 2.1/8" (54mm) long, used on type S units



Brass Rivet on Disc:

PB859 90mm dia with single turned up edge **PB12602** 115mm dia with single folded up edge **PB12611** 82mm dia with single turned up edge



Brass Disc Double Return Outer Edge:

PB12589 large hole 40mm dia. outer 115mm diameter **PB12662** large hole 40mm dia. size 90mm diameter



Friction Wood Disc:

PB858 88mm x 38mm x 5mm thick
PB12601 112mm x 38mm x 5mm thick
PB12612 80mm x 38mm x 5mm thick
PB588 106mm x 42mm either 2.5mm (thin) or 4.0mm (thick) approx thickness


PB652 84mm x 42mm either 2.5mm (thin) or 4.00mm (thick) approx thickness

ANDRE HARTFORD SHOCK ABSORBERS con't



PB12603 small type 502 (82mm dia.) raised edge indicator dial **PB12604** large type 506 (108mm dia.) raised edge indicator dial

PBBDL 115mm diameter, printed black on tin plate The B & D Stabilizer, Bentley & Draper Ltd, 4 Fenchurch Avenue, London **PBBDS** 90mm dimeter, printed black on tin plate The B & D Stabilizer, Bentley & Draper Ltd, 4 Fenchurch Avenue, London





PBact.r Andre Hydro telecontrol dial type HFC, white print on black domed dial, 82mm diameter. used on external round pressure bag type

PBact.s Andre Telecontrol indicator dial red, white black printed indicator dial with raised edge, 105mm diameter. Andre Hydro Telecontrol shock absorber type H.T.33. used on square bag type. note three holes, two hole type also available





PB12603.101L type 101 indicator dial 89mm diameter, T.B. Andre & Co Ltd London. black print on tinned face **PB12604.103L** type 103 indicator dial 101mm diameter, T.B. Andre & Co Ltd London. black print on tinned face

PB12603.100F F Repusseau indicator dial, type 100. 80mm diameter, F Repusseau & Cie. Paris. black print on tinned face PB12603.101F F Repusseau indicator dial, type 101. 89mm diameter, F Repusseau & Cie. Paris. black print on tinned face PB12604.103F F Repusseau indicator dial, type 103. 103mm diameter, F Repusseau & Cie. Paris. black print in tinned face



EXTERIOR MIRRORS





















PB653 oval type Desmo embossed convex glass mirror suitable for vehicles of the '30's, size 110mm x 82mm (overall length 175mm). complete with mounting bracket 58mm x 14mm, hole centres 43mm approx. chromium or nickel finish, also polished brass.

PB782 wing mounting racing mirror, chrome plated 100mm diameter, convex glass. Aerodynamicalty styled, fully adjustable using from end.

PB790 round lightweight alloy racing mirror. 100mm diameter, 80mm deep, single bolt fixing at base. Flat glass

ACMIRR/L wing mirror, Lucas post war type, 4 3/8" diameter, stainless steel mirror back chromium stem, single mounting bolt. Left & Right

VT-8A-18402 polished stainless steel mirror, fits left or right, includes mounting bracket kit with stainless steel screws. Base 83mm, frame height 115mm. 100mm mirror head

VT-17700-B round brass rear view mirror suitable for veteran cars. Clamps to windscreen frame. Diameter 127mm

VT-A-17741-U straight arm peep mirror, 4" head

VT-B-17700-SM spare wheel mounted rear view mirror, chrome 115mm dia flat glass, complete with leather strap

VT-B-18414-L & R curved arm peep mirror, 4" head, available left and right

VT-HR-18414-L & R curved arm peep mirror, 3" head, available left and right

VT-SR-18402/3-S retro style polished stainless steel mirror, two mounting studs, sold only in pairs

INTERIOR MIRRORS













PB294 rod mount interior mirror, polished stainless steel backed interior mirror which clamps to rod of minimum 5mm diameter (not supplied). 153mm x 56mm with flat glass. **PB766** dash mounted mirror, as fitted to MGA, 2 screw base fitting hole centres 41mm, chrome stem. metal backed mirror 50mm x 125mm holding flat glass. overall height 90mm, backing bronze

PB890 dash mirror on adjustable height stem, two screw base, angled away from screen. Metal backed glass 105mm x 45mm, stem height adjusts min 80mm max 150mm high, all chrome finish

PB890A dash mirror on adjustable height stem, two screw swivel type base. Metal backed glass 105mm x 45mm, stem height adjusts min 80mm max 150mm high, all chrome finish **PB891** vintage pre war Desmo pattern, convex bevel edge glass 100mm x 42mm with backing plate, adjusts fully on mounting, suitable for top or bottom fixing, adjustable height arm to approx 115mm, available in chrome or nickel finish

PB891A vintage pre war Desmo pattern, convex bevel edge glass 100mm x 42mm with backing plate, adjusts fully on mounting, suitable for top or bottom fixing, short fixed length arm. available in chrome or nickel finish

VT-48-17690-SS vintage style windscreen mounted mirror, 80mm mounting arm, 69mm 2 screw mounting base, 128mm x 68mm bevelled edge glass (NOT SHOWN)

WING BOLTS & BUMPER BOLTS



PB235 1 1/4"/ 32mm long 1/4" BSW thread, 22mm dia mushroom head for securing mudguards to stays etc. Zinc plated

PB481 Chromium plated round head bolt with flats beneath, 22mm long x 5/16" thread.

VPB482 Chromium plated round head bolt with flats beneath, 37mm long x 3/8" thread



SPARK PLUG ACCESORIES







PB 4P HOLD spare spark plug holder in cast aluminium, supplied tapped but not polished. size approx 115mm x 25mm, available for the 18mm or 14mm plug sizes **PB 6 HOLD** spare spark plug holder in cast aluminium, supplied tapped but not polished, size approx 130mm x 67mm. available for the 18mm, 14mm or 10mm plug sizes. **PB452** spark plug adaptor allows a 14mm plug to be fitted in to a 18mm plug hole, enabling user to take advantage of the wider heat range of 14mm plugs

MOTOMETERS







Motometer Jnr 57mm diam, gold colour face motormeter (temperature meter) to fit in to radiator cap, available finished brass with plain rim or wreath, chrome with plain rim, or chrome with wreath rim



Motometer Snr large size motormeter (temperature meter) chrome plated, brass body, wreathed rim, approx 85mm diameter

VT-A-18355-WB wings for junior motometer, installs between cap & motometer, polished brass, 20cm span

VT-A-18355-WC wings for junior motometer, installs between cap & motometer, chrome plated, 20cm span

VT-LG-8100-B large dog bone radiator cap, 200mm, drilled center for Senior Motometer (not shown)

VT-18360-AR (28/29) locking radiator cap for junior motometer, chrome plated

VT-18360-B (30/31) locking radiator cap for junior motometer, chrome plated

VT-18354-RKBR repair kit for junior motometer, brass. (2 beveled glass lenses, 2 gaskets + 8 short screws)

VT-18354-RKSS repair kit for junior motometer, chrome. (2 beveled glass lenses, 2 gaskets + 8 short screws)

VT-SM-18355-U thermometer unit for senior motometer. Brass nut & stem

Both senior and junior motometers are available with special order name plates. Ask us whether we can get a name plate to suit you vehicle.

TAIL LIGHTS















PB249/428 'D' Lamp full red glass lens, fitted with double contact bulbholder (for stop and tail lamps) brass body 92mm x 85mm x 60mm. clear side number plate illumination lens. black enamel or chrome finish

PB249A/428A early pattern 'D' lamp with split red glass lens, fitted with two bulbholders. brass body 92mm x 85mm x 60mm. clear side number plate illumination lens, black enamel or chrome finish

PB255 divers helmet lamp - supplied with red flat main lens, 1 clear & 1 red side window. double filament bulbs can be used

PB288 vintage Lucas rear lamp type 582 with side number plate illumination. red plastic lens 55mm dia, body 58mm long x 42mm diam, overall length 92mm. black body as standard, but nickel or chrome available also

PB288A early pattern cylindrical rear lamp with side number plate illumination, as Lucas type 582. fitted with prismatic glass lens and metal rim. 45mm dia x 93mm overall, body 42mm dia. choice of finish - black, nickel or chrome

PB776B/776C round 'Pork Pie' rear lamp, as Lucas ST38, fitted with emblem. 90mm diameter x 65mm deep, brass body, red glass lens, with or without clear side lens. three single contact bulbholders. black enamel or chrome finish

VT-HR-13405L/R round rear lamp with split amber/red glass lens. polished stainless steel 97mm diameter x 51mm deep. two single contact bulbholders fitted through back. all red lens available as alternative. also choice of with or without side number plate illumination.

VT-HR-13302-S see page 19

VT-HR-13302-MTS see page 19

VT-HR-13302-MTS see page 19

SIDE LAMPS & INDICATORS







VT-HR-13302-TS







VT-HR-13302-MTS

PB297 torpedo style sidelamp, reproduction of the Lucas 1130 type, chromium plated body approx 100mm long x 38mm diameter, plastic moulded lens (choice of clear or amber). double filament bulb holder (allows combined side and flasher bulb to be fitted),mounted by two bolt in base, rubber mounting pad supplied.



PB297A torpedo style sidelamp, reproduction of the Lucas 1130 type,

VT-HR-13302-S

chromium plated body approx 100mm long x 38mm diameter, frosted clear lens with chrome rim held with screw in top, double filament bulbholder (allows combined side and flasher bulb to be fitted), choice of red dot or chrome emblem in top, mounted by two bolt in base. rubber mounting pad supplied

VP592 large sidelamp similar to Lucas type VS45, 90mm diameter x 85mm deep, with glass lens. With either black body/chrome rim or all chrome. mounting bolt 14mm diameter. These units will accept parallel pin double filament 5/21w bulbs thus indicators can be incorporated within the sidelamp

VPB918 Reproduction of LD109 side lamp, approx 2" diameter x 2 1/2" long, with red medallion in top, frosted lens

VT-HR-13302-S Small chrome plated single filament light. 1 3/4"W x 1 1/8"H x 1 5/8"D **VT-HR-13302-MTS** Medium size chrome plated dual filament light. 2 1/4"W x 1 1/4"H x 1 3/4"D.

VT-HR-13302-TS Large chrome plated dual filament light. 2 1/2"W x 2"H x 2 3/4"D The 3 lights above come standard with 12V globes and orange lenses. 6V globes are available as well as red or clear lense.

ben@antiquetyres.com.au

LAMP BADGES







PB516cav reproduction CAV badge. nickel plate brass casting with lugs on rear to peen over and secure as original. we stock the following size (measured across outside of badge). 22mm diameter

PB516luc reproduction Lucas King of the Road badge. chrome plate (nickel to order) brass castings with lugs on rear to peen over and secure as original. we stock the following sizes (measured across outside of badge).

very small - 15.75mm small - 16.76mm medium - 22.73mm large - 28.88mm please note that a smaller hole is required for fitting

PB516rot reproduction Rotax badge. chrome plate (nickel to order) brass casting with lugs on rear to peen over and secure as original. we stock the following sizes (measured across outside of badge).

very small - 14.77mm small - 18.34mm medium - 22.00mm large - 25.60mm please note that a smaller hole is required for fitting

BULB HOLDERS & SPARES

















PB253 double contact holder which accepts a plug or standard SBC bulb at either end. threaded outside body

PB254 plug for SBC type holder, double contact

PB422 single ended bulb holder. rear nut removes to expose terminal contacts. double contact

PB424 double contact bulbholder for our 297 sidelamp

PB681 replacement front lens original pattern frosted lens with chrome rim for our 297 side-lamp

PB695 red dot Lucas medallion for our 297A sidelamp


PB853 double contact headlamp converter for most Lucas headlamps which are mounted through the rear of reflector bowl


PB927 MBC bulbholder, useful general application spare

DOOR WEDGES & SILENCERS












PB197 rubber door buffer complete with plated steel shoe and brass eyelet. size approx 32mm x 12mm **PB198** door buffer rubber, approx size 28mm x 28mm x 12mm thick

PB566-1 door buffer rubber, approx size 32mm x 23mm x 16mm thick. insert lug 25mm x 14mm x 13mm

PB566-217 door buffer rubber, approx size 29mm x approx size 29mm x 23mm x 13mm thick

PB785 dovetail door wedge. size 76mm x 43mm approx. metal and rubber buffer which is positive in action. supplied in two part set

DOOR HINGES



PB272



PB296



PB688



PB688A

PB272 solid brass undrilled, steel pin, flap size 1 3/4" high x 4" long

PB296 Solid brass undrilled, steel pin, flap size 1 3/4" high x 2" wide

 $\boldsymbol{PB596}$ solid brass undrilled, steel pin. flap size 1 1/2" high x 2" wide

PB652 solid brass undrilled, steel pin, flap size 1 1/2" x 4"long

PB688 self aligning steel - self colour. flaps undrilled, size 2" x 5" (approx 50mm x 125mm) left hand and right hand. note the swinging part sits on ball which sits in the cup of the fixed part

PB688A replacement pin and 19mm round brass ball for steel self aligning hinge

PB823 solid brass undrilled, steel pin, flap size 2" high x 4" wide

PB948 heavy brass door hinge, undrilled flaps. 2 1/2" high x 4" wide

VERNIER COUPLING







PB446 gunmetal Simms couplings, unmachined central drive hole available 14 or 15 teeth (48mm diameter), 19 or 20 teeth (57mm diameter) or 23 or 24 teeth (65mm diameter) **PB449** vernier coupling, small size 14/15 teeth, 48mm diameter. made to original pattern in hard rubber

PB450 larger size 19/20 teeth, 57mm diameter. made to original pattern in hard rubber **PB873** large size, 23/24 teeth, 63mm diameter. made from hard rubber

FUEL TAPS







PB335 two way tap, 1/4 BSP thread, supplied with 3 solder type nuts & nipples for 1/4" or 5/16" pipe. on when handle is in line with outlet

PB335A 2 way tap supplied with 3 nuts & nipples for solder fittings. 1/4" BSP for 1/4" or 5/16" pipe (specify). A cheaper alternative to the above

PB337 two way tap, 3/8 BSP thread, supplied with 3 solder type nuts & nipples for 3/8" pipe. on when handle is in line with outlet

PB575 main/reserve tap fits into the bottom of some autovacs 3/8" BSP pipe, 1/2" BSP thread into tank

BADGE BAR



PB770 19mm diameter stainless steel bar, 22" long -chrome on brass clips and legs. Straight or cranked bar (specify). Supplied with four badge bar clip, and all nuts, screws etc **PB696** badge bar clip

GREASE NIPPLES









PB105 brass hexagonal flat top TAT type, grease nipple, 1/8" BSP thread

PB108A grease gun adapter, 'push on' adapter for flat top nipples, provided with a female 1/8" BSP thread which will fit most grease guns.

PB108B grease gun adapter, 'pull on' adapter for flat top nipples, provided with a female 1/8" BSP thread which will fit most grease guns.

PB108C grease gun adapter, adjustable angle adapter for flat top nipples, provided with a female 1/8" BSP thread which will fit most grease guns

FUSE BOX & JUNCTION BOX







PB307

PB308



B375



PB658



PB307 Single fuse box, black bakelite cover, takes cartridge type fuses 2 1/8" X 1 1/4" high **PB308** round 2 terminal bakelite junction box with screw cover, 1 1/2" (38mm) diameter **PB309** round 4 terminal bakelite junction box with screw cover, 2" (51mm) diameter

PB375 round 6 terminal bakelite junction box with screw cover, 2 3/8" (60mm) diameter

PB658 fuse box, black finish, accepts 4 modern type Bosch cartridge fuse

PB659 fuse box, black finish, accepts 6 modern type Bosch cartridge fuse

www.antiquetyres.com.au

PIN BEADING



PB295 brass lead filled pin bead, 3/8"/ 10mm half round, nails at approx. 90mm intervals. stocked in lengths 2 metre or 3 metre long

PB710A aluminium pin bead, 10mm wide across base, a cheaper alternative to the lead filled brass, polished finish, nails at aprox 100mm intervals. supplied in lengths of 2.5 metre

PB710B aluminium pin bead, 12mm wide across base, a cheaper alternative to the lead filled brass, polished finish, nails at aprox 100mm intervals. supplied in lengths of 2.5 metre

FILLER CAPS & ADAPTORS





ASTON



PB117-119


PB110 Monza type cap - polished light alloy finish - internal thread 2" (51mm) x 18 TPI. overall size approx 60mm x 80mm PB111 Monza type cap - polished light alloy OR chrome finish - internal thread 2 1/2" (63mm) x 16 TPI. approx 75mm x 98mm overall

PB112 Monza type cap - polished light alloy finish - Internal thread 2 3/4" (70mm) x 16 TPI. approx 82mm x 110mm overall PB113 Aston type cap - polished light alloy finish -internal thread 2 1/2" (63mm) x 16 TPI. approx 75mm x 115mm overall PB114 Aston type cap - polished light alloy finish -internal thread 2 3/4" (70mm) x 16 TPI.approx 89mm x 120mm overall **PB115** Aston type 2 - polished light alloy finish - internal thread 3 1/2" BSP (100mm), approx 120mm x 160mm overall PB117 flanged adaptor neck - thread 2" (51mm) x 18 TPI, overall diameter 3" (75mm) brass

PB118 flanged adaptor neck - thread 2 1/2" (63mm) x 16 TPI. overall diameter 4" (110mm) brass



PB120




PB164-166

PB119 flanged adaptor neck - thread 2 3/4" (70mm) x 16 TPI, overall diameter 4" (115mm) brass


PB120 flanged adapter neck - thread 3 1/2" BSP, overall diameter 125mm, alloy PB164 plain adaptor neck - external thread 2" (51mm) x 18 TPI, fits over 45mm pipe PB165 plain adaptor neck - external thread 2 1/2" (63mm) x 16 TPI. fits over 57mm pipe **PB166** plain adaptor neck - external thread 2 3/4" (70mm) x 16 TPI. fits over 63mm pipe

PIPE FITTINGS



BANJO banjo union supplied complete with bolt and washers. these are supplied with compression nut and olive, but this can be removed and the tube soldered directly into banjo body and then the external thread can be removed with a file. we offer 1/8" BSP bolt with 1/4" BSP nut thread for 1/4" pipe, 1/4" BSP bolt with 1/4" BSP nut thread for 5/16" pipe or 3/8" BSP bolt with 3/8" BSP nut thread for 3/8" pipe

CLEVIS & YOKE



PB634 3/16" pin x 3/16" BSF thread - 3/16" between fork (nominal 4.5mm size), steel with pin. also available left hand thread

PB635 1/4" pin x 1/4" BSF thread - 1/4" between fork (nominal 6mm), steel with pin. also available left hand thread **PB636** 5/16" pin x 5/16" BSF thread, 5/16" (nominal 8mm) between fork, steel with pin. left hand thread also vailable

PB637 3/8" pin x 3/8" BSF thread - 3/8" (nominal 10mm) between fork, steel with pin. left hand thread also available

CONTROL BALL JOINT



PB207 steel adjustable ball joint, plated finish. non detachable, 5/16"x 5/16" BSF threads

PB587 steel adjustable ball joint, plated finish, non detachable, 3/16 x 3/16" BSF threads

PB588 steel adjustable ball joint, plated finish. non detachable, 1/4" x 1/4" BSF threads

PB835 steel adjustable ball joint, plated finish, non detachable, 3/8" x 3/8" BSF threads (not plated)

NUMBER PLATE LIGHT



PB708 Lucas model 467 as fitted to numerous vehicles. base 112 mm x

49mm x 45mm high, available chrome or black metal cover, clear lens

SWITCHES









PB414 clockwork panel mounted indicator switch (suitable for 6, 12 or 24 volt systems), make and break contacts for approx 20-25 seconds then self cancels. body size approx 45mm x 55mm x 25mm. easy to connect input (fused) and exit terminals

PB415 brake light switch, terminals protected by a rubber cover, connects to linkage with a spring

PB415A brake light switch which connects to linkage with a spring, 'celectrical contacts break on pull

PBY-13480 "Lucas" pattern 51C 'pull on' brake switch, metal body 63mm wide, screw terminals on top

DASHIAMPS







PB593

PB842

PB289 chromium cowl with 'Lucas' emblem stamped on top, black flange (70mm x 37mm) fitting, 2 1/8" (54mm) mounting hole centres, supplied with cable and bulb. basic switch incorporated with twist cap

PB543 pull out dash lamp, all brass construction, 57mm long with 51mm diam mounting flange, requires separate switch, choice of finish offered chrome, nickel or black

PB 593 cylindrical dash lamp, black bakelite ends, chromium centre tube 25mm diameter and clip. 90mm long


PB842 ignition warning lamp, chrome (slotted) screw bezel, black plastic body fits through dash (19mm hole), usually supplied with red lens, or amber or green if required, specify 6volt or 12volt


WIPER ACCESORIES













WIPER MOTOR 6V OR 12V practical modern wiper motor for continual use, 6 volt or 12 volt. inoffensive dull black plastic cover, switch with 'auto-park'. central drive offtake with two stabilising mounting points. Shaft is 3 1/4" long. Has built in ON-OFF switch WIPER MOTOR 6V OR 12V practical modern wiper motor for continual use, 6 volt or 12 volt. Polished stainless steel cover, switch with 'auto-park'. central drive offtake with one stabilising mounting points. Shaft is 5" long.

PB372 rubber peg to secure slot type blade to arm

PB408 tandem wiper set double arm, driven at end tandem set. arms adjustable 125mm to 190mm long. link bar adjustable from 350mm to 650mm long. arms will fit 3/16" or 1/4" drive shaft, chromium finish. wiper blades, and rubber peg, to be ordered separately **PB409** slave arm pivot, shaft size 3/16" diameter, bolts through 8mm hole in screen, for use

with dual wiper set. chrome plated **VT-B-17529-SS** chromium plated adjustable wiper arm to suit 3/16" or 1/4" diameter drive

shaft, for slot type blade. adjustable lengths VT-68-17574 tandem wiper kit, includes 2 arms, 2 blades, slave pivot & connecting shaft

(not pictured) VT-68-17528 wiper blade 8 1/4"


VT-C-17528 wiper blade 10"

BADGES



PB591 jewellers enamel badges, multi coloured, chrome backing approx 56mm x 35mm, supplied with two mounting bolts. stocked as under: Union Jack, Wales, England, Scotland, Canada, US Confederate, Ireland, France, Germany, Italy, USA stars & stripes. not all are shown in illustration

STAPLES - FOOTMAN LOOPS



FOOTMAN LOOP STAPLES - CHROME

PB195 32mm strap, approx 60mm hole centres PB196 38mm strap, approx 62mm hole centres PB199 51mm strap, approx 81mm hole centres FOOTMAN LOOP STAPLES - BLACK


PB472 32mm strap, approx 60mm hole centres **PB473** 38mm strap, approx 62mm hole centres **PB876** 51mm strap, approx 81mm hole centres

BRASS DRAIN PLUGS



PBBDP hex head brass plug with flange collar, in the following sizes 1/8" BSP, 1/4" BSP, 3/8" BSP or 1/2" BSP

SPRING GAITERS



These gaiters are manufactured to individual order for any car, to your measurements. Please complete the special measurement form* for a quotation. Delivery variable, so please allow time for manufacture. Gaiters are supplied as standard with straps for fastening, and without lubricators, but original type lacing and lubricators can be supplied if specified on order.

*Order forms can be found on page 29

VINTAGE RIMS

Beaded Edge:

Most beaded edge rims sizes available. From 26x2 1/2 through to 895x135. Contact us to find out the availability on Beaded Edge rims for your motorcycle or car.



Rolled Edge:

Rolled Edge rims are available in sizes 17" through to 25" in widths from 2 1/2" up to 4 1/2".

Split Rim:

Split rims are available with pressed locating steps or as a plain rim. Sizes available are from 18" to 24".



Lock Ring Rim:

Our Lock Ring style rims are made to the highest possible standard. The locking ring is forged and the rim is rolled.

Unlike machining, this ensures utmost strength and correct tension on the lock ring.

Contact us to check on sizes and availability.



WEFCO GAITER ORDER FORM							
Take of Car:		Horse Power:					
Manufacture Date:		Number of C	Covers Requ	iired:			
PLEASE GIVE EXACT MEASUERMENTS: Do Not take anything for granted. Dimensions in MM please.							
	Front Springs		Back Springs		3/4 Ellip- tic por-		
	Front Half	Back Half	Front Half	Back Half			
1. Full length of half spring:							
2. Length of spring from clip to centre of each guide:							
3. Girth (circumfrence) of thick end:							
4. Girth (circumfrence) of thin end:							
6. Girth (circumfrence) of guide:							
7. Width of spring:							
Other Comments:							
	• • • • • • • • • • • • • • • • • • • •			•••••			
8. Fastening method (lace up unless other wise specified):							
9. Circle is springs is cantilever or trans	9. Circle is springs is cantilever or transverse:			cantilever transver			

	11411	11411	11411	11411	
1. Full length of half spring:					
2. Length of spring from clip to centre of each guide:					
3. Girth (circumfrence) of thick end:					
4. Girth (circumfrence) of thin end:					
6. Girth (circumfrence) of guide:					
7. Width of spring:					
Other Comments:					
8. Fastening method (lace up unless of	her wise spe	cified):			
9. Circle is springs is cantilever or tran	sverse:		can	tilever	transverse
10. If lubricators are required, circle ty	pe:		TA	T	ZERK
11. Guide bolts largest protrusion are t	op or bottom	n of springs:	ТО	P	BOTTOM
Name:					
Address:		PH NO:			
		. Email A	dd:		

NOTES



ben@antiquetyres.com.au